



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/679,371	10/07/2003	Anthony C. Fascenda	62922.3	4292
21967	7590	11/14/2005		
HUNTON & WILLIAMS LLP INTELLECTUAL PROPERTY DEPARTMENT 1900 K STREET, N.W. SUITE 1200 WASHINGTON, DC 20006-1109			EXAMINER CHEN, SHIN HON	
			ART UNIT	PAPER NUMBER
			2131	

DATE MAILED: 11/14/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/679,371

Applicant(s)

FASCENDA, ANTHONY C.

Examiner

Shin-Hon Chen

Art Unit

2131

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 8/23/05.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-11 and 13-28 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-11 and 13-28 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 07 October 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### DETAILED ACTION

1. Claims 1-11 and 13-28 have been examined.

#### *Claim Rejections - 35 USC § 103*

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-11, 13, and 19-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pitchenik et al. U.S. Pat. No. 6397328 (hereinafter Pitchenik) in view of Eberhard U.S. Pat. No. 5473689 (hereinafter Eberhard).

4. As per claim 1, Pitchenik discloses a method of authenticating computing devices on a communications network comprising the steps of: receiving a first challenge from a computing device, wherein said first challenge comprises an encrypted first random number and a unique identifier associated with said computing device (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67); obtaining a first secret cryptographic key associated with said unique identifier (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67); generating a second random number (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67); decrypting said first random number with said first secret cryptographic key (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67); encrypting said second random

Art Unit: 2131

number with said first secret cryptographic key (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67); and transmitting a second challenge to said computing device, wherein said second challenge comprises said encrypted said second random number (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67). Pitchenik does not explicitly disclose generating a second random number where the second random number is different from the first random number. However, Eberhard discloses both devices generate its own random number and transmit random numbers to each other (Eberhard: column 1 line 66 – column 2 line 4 and column 3 line 45 – column 4 line 2). It would have been obvious to one having ordinary skill in the art to generate different random numbers when two devices try to authenticate each other. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Eberhard within the system of Pitchenik because using two random numbers allows both devices to exclusively authenticate each other.

5. As per claim 19, Pitchenik discloses a method of authenticating computing devices on a communications network comprising the steps of: receiving a first challenge from a computing device, wherein said first challenge comprises a first random number and a unique identifier associated with said first secret cryptographic key (Pitchenik: column 2 line 34 – column 3 line 3); and transmitting a second challenge to said computing device, wherein said second challenge comprises said encrypted first random number and said second random number (Pitchenik: column 2 line 34 – column 3 line 3). Pitchenik does not explicitly disclose generating a second random number where the second random number is different from the first random number. However, Eberhard discloses both devices generate its own random number and transmit random

Art Unit: 2131

numbers to each other (Eberhard: column 1 line 66 – column 2 line 4 and column 3 line 45 – column 4 line 2). It would have been obvious to one having ordinary skill in the art to generate different random numbers when two devices try to authenticate each other. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Eberhard within the system of Pitchenik because using two random numbers allows both devices to exclusively authenticate each other.

6. As per claim 2 and 20, Pitchenik as modified discloses the method of claims 1 and 19 respectively. Pitchenik as modified further discloses wherein said unique identifier is a serial number of a physical token installed at said computing device (Pitchenik: column 3 line 60 – column 4 line 10: the identification number and associated key within the device).

7. As per claim 3 and 21, Pitchenik as modified discloses the method of claims 2 and 20 respectively. Pitchenik as modified further discloses wherein said step of obtaining a first secret cryptographic key comprises the step of retrieving a pre-stored record associated with said serial number, wherein said record comprises said first secret cryptographic key (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67; column 3 line 60 – column 4 line 10: the keys are stored in the device and the host PC respectively).

8. As per claim 4 and 22, Pitchenik as modified discloses the method of claims 3 and 21 respectively. Pitchenik as modified further discloses wherein said step of obtaining a first secret cryptographic key comprises the step of receiving a key database file comprising a number of

Art Unit: 2131

records, wherein each record is associated with a unique physical key token and comprises a unique secret cryptographic key and a unique serial number (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67; column 3 line 60 – column 4 line 10: the keys are stored in the device and the host PC respectively).

9. As per claim 5 and 23, Pitchenik as modified discloses the method of claims 4 and 22 respectively. Pitchenik further discloses wherein said unique secret cryptographic key is created from a random number generated at initialization of said token (Pitchenik: column 3 line 60 – column 4 line 24).

10. As per claim 6 and 24, Pitchenik as modified discloses the method of claims 1 and 19 respectively. Pitchenik as modified further discloses the method comprising the steps of: decrypting said first challenge with a network receive cryptographic key; and encrypting said second challenge with a network send cryptographic key (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67; column 3 line 60 – column 4 line 10: the key pair).

11. As per claim 7, Pitchenik as modified discloses the method of claim 3. Pitchenik as modified further discloses wherein said step of decrypting said encrypted first random number results in a first value, and further comprising the step of disallowing said computing device to communicate with other computing devices on said network if said first value is a null value (Pitchenik: column 4 line 33 – column 5 line 4: the authentication technique can be applied to both parties).

12. As per claim 8, Pitchenik as modified discloses the method of claim 7. Pitchenik as modified further discloses wherein allowing said computing device to communicate with other computing devices on said network if said first value is not a null value (Pitchenik: column 4 line 33 – column 5 line 4: the authentication technique can be applied to both parties).

13. As per claim 9, Pitchenik as modified discloses the method of claim 7. Pitchenik as modified further discloses the method comprising the step of decrypting said second challenge with a network receive cryptographic key (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67; column 3 line 60 – column 4 line 10: the key pair).

14. As per claim 10, Pitchenik as modified discloses the method of claim 8. Pitchenik as modified further discloses the method comprising the step of decrypting said encrypted second random number with a second secret cryptographic key (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67; column 3 line 60 – column 4 line 10).

15. As per claim 11, Pitchenik as modified discloses the method of claim 10. Pitchenik as modified further discloses wherein said second secret cryptographic key is stored within said physical token (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67; column 3 line 60 – column 4 line 10).

Art Unit: 2131

16. As per claim 25, Pitchenik as modified discloses the method of claim 21. Pitchenik as modified further discloses the method comprising the steps of: receiving a third challenge from said computing device, wherein said third challenge comprises said second random number encrypted with a second secret cryptographic key (Pitchenik: column 2 line 34 – column 3 line 29); decrypting said encrypted second random number with said first secret cryptographic key (Pitchenik: column 2 line 34 – column 3 line 29); and comparing said decrypted second random number to said second random number to determine if a match exists (Pitchenik: column 2 line 34 – column 3 line 29).

17. As per claim 26, Pitchenik as modified discloses the method of claim 25. Pitchenik as modified further discloses wherein if a match exists between said decrypted second random number and said second random number, allowing said computing device to communicate with other computing device on said network, otherwise if a match does not exist, disallowing said computing device to communicate with other computing devices on said network (Pitchenik: column 2 line 34 – column 3 line 29).

18. As per claim 27, Pitchenik as modified discloses the method of claim 25. Pitchenik as modified further discloses the method comprising the step of decrypting said third challenge with a network receive cryptographic key (Pitchenik: column 2 line 34 – column 3 line 29).



Art Unit: 2131

19. As per claim 28, Pitchenik discloses the method of claim 25. Pitchenik further discloses wherein said second secret cryptographic key is stored within said physical token (Pitchenik: column 2 line 34 – column 3 line 29 and column 3 line 60 – column 4 line 10).

20. Claims 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pitchenik in view of Eberhard and further in view of Shteyn U.S. Pub. No. 20040203590 (hereinafter Shteyn).

21. As per claim 13, Pitchenik discloses a communications system comprising: a number of computing devices, and at least one authentication device, wherein each client device or authentication device includes a removable unique tamper-resistant physical token comprising a random number generator, a unique secret cryptographic key, and a unique serial number (Pitchenik: column 2 line 40 – column 3 line 28; column 4 lines 32 – 67; column 3 line 60 – column 4 line 10). Pitchenik does not explicitly disclose generating a second random number where the second random number is different from the first random number. However, Eberhard discloses both devices generate its own random number and transmit random numbers to each other (Eberhard: column 1 line 66 – column 2 line 4 and column 3 line 45 – column 4 line 2). It would have been obvious to one having ordinary skill in the art to generate different random numbers when two devices try to authenticate each other. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Eberhard within the system of Pitchenik because using two random numbers allows both devices to exclusively authenticate each other. Pitchenik as modified does not explicitly disclose wherein each tamper-resistant physical token is removable. However, Shteyn discloses

Art Unit: 2131

using a dongle installed via a USB to secure communications in a wireless network (Shteyn: [0027]). It would have been obvious to one having ordinary skill in the art to store identifications information and cryptographic key into the hardware key while authentication takes place between a mobile terminal and an access point. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Shteyn within the combination of Pitchenik-Eberhard because dongle is well known in the art for providing security parameters within network.

22. As per claim 17, Pitchenik as modified discloses the system of claim 13. Pitchenik as modified further discloses wherein each tamper-resistant physical token is installed via a USB interface. Shteyn discloses using a dongle installed via a USB to secure communications in a wireless network (Shteyn: [0027]). It would have been obvious to one having ordinary skill in the art to store identifications information and cryptographic key into the hardware key while authentication takes place between a mobile terminal and an access point. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Shteyn within the combination of Pitchenik-Eberhard-Kimura because dongle is well known in the art for providing security parameters within network.

23. Claims 14-16, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pitchenik in view of Eberhard and further in view of Shteyn and further in view of Kimura U.S. Pub. No. 20010048744 (hereinafter Kimura).

Art Unit: 2131

24. As per claim 14, Pitchenik as modified discloses the system of claim 13. Pitchenik as modified does not explicitly disclose wherein each client device or authentication device further includes a wireless communications transceiver to communicate on a wireless network.

However, it would have been obvious to one having ordinary skill in the art to apply the authentication method to any communication environment including wireless network.

Alternatively, Kimura discloses access point authentication method and applying challenge response and random numbers to authenticate mobile terminals within wireless LAN that complies with IEEE 802.11 (Kimura: [0038]-[0040]). It would have been obvious to one having ordinary skill in the art at the time of applicant's invention to apply the authentication technique to any communication system. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Kimura within the combination of Pitchenik-Eberhard because it prevents unauthorized access from mobile stations of malicious intruders in a radio-based wireless LAN network.

25. As per claim 15, Pitchenik as modified discloses the system of claim 14. Pitchenik as modified further discloses wherein said wireless network is Wi-Fi network (Kimura: figure 5 and [0004], [0035]-[0040]).

26. As per claim 16, Pitchenik as modified discloses the system of claim 15. Pitchenik as modified further discloses wherein said authentication device is an access point (Kimura: [0039]-[0040] and figure 2).

Art Unit: 2131

27. As per claim 18, Pitchenik as modified discloses the system of claim 16. Pitchenik as modified further discloses wherein said access point includes a database file comprising said serial numbers and secret cryptographic keys associated with said tokens (Pitchenik: column 3 line 60 – column 4 line 10; Kimura: [0004], [0035]-[0040]).

### ***Response to Arguments***

28. Applicant's arguments with respect to claims 1-11 and 13-28 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shin-Hon Chen whose telephone number is (571) 272-3789. The examiner can normally be reached on Monday through Friday 8:30am to 5:30pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on (571) 272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2131

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Shin-Hon Chen  
Examiner  
Art Unit 2131

SC

  
AYAZ SHEIKH  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100